

April 2021 - PKGT Monitoring Summary Report

The following Port Kembla Grain Terminal (PKGT) monthly monitoring summary report has been prepared by GrainCorp in accordance with Section 66 of the *Pollution of the Environment Operations Act 1997*. Monitoring data shared with the public on the website includes that collected as part of the Environmental Protection Licence (EPL) for the Port Kembla Grain Terminal Site. Monthly monitoring summaries are completed on the last day of any given month for the data collected.

Report contents

Section A. Map of PKGT and the location of sampling points as po	er the Environmental Protection Licence
--	---

		✓ Yes	□ No	1
Section B. PKGT fumigation emissions monitoring (Sampling Points 3,4,5,6,7 and 8)		see Section B	has not been included in report	
	Monitoring triggered in this period	✓ Yes	□ No	
Section C. PKGT interceptor water monitoring (Sampling Point 1)	and summarised in report?	see Section C	has not been included in report	
		☐ Yes	✓ No	
Section D. PKGT diesel boiler monitoring (Sampling Point 2)		see Section D	has not been included in report	

Site details

EPL Number	3693
Licensee Name	GrainCorp Operations Limited
Address	Port Kembla Grain Terminal, Morton Way, Port Kembla NSW 2505
FPI Public Register Link	http://www.ena.nsw.gov.au/propegapp/Detail.aspx?instid=3693&id=3693&ontion=licence&searchrange=licence⦥=POFO licence&pro=no&status=Issued

Technical Reviewer


A. Costa
Name

18/05/2021
Date

Date published to website

18/05/2021 Date

A. Sampling points as per EPL - Port Kembla Grain Terminal



Environment Protection licence (EPL) Monitoring Locations

Point	Location at PKGT
1	Located at the Bulk Liquid Storage area of the Port Kembla Grain Terminal. The water sample is collected downstream the bund valve from the final section of the interceptor.
2	Diesel boiler air vent located within the bulk liquid storage area directly east of the bulk storage tank area bund.
3 and 4	Most southern fumigation vents located beside silos A1 and B1.
5 and 6	Fumigation vent located in the centre of the site beside silos A9 and B9.
7 and 8	The northern most fumigation vents located beside silos A10 and B10, just north of points 5 and 6.

B. GrainCorp - Port Kembla Fumigation monitoring data summary: April 2021

All air monitoring has been conducted in accordance with the methodology prescribed or a methodology approved in writing with NSW EPA.

Monitoring frequency: Continuous during every ventilation

No. of ventilation events during month: 2

					Exceedance			Re	sult	Limit										
Sampling date (ventilation event)	Pollutant (discharged to air)	Silo Vent No.	Initial Purge start time^		More than one silo vent in initial purge phase?* (yes/no)		Parameter	Min. value	Max. value	100 percentile (allowable)	Units of measure	Monitoring point location	Exceedance (yes/no)							
	Single silo ventilation event																			
	Methyl bromide	В3	813	n/a	no	o R. Newton	Concentration	NA	6.05	8	grams per second	6	no							
9/04/2021	·	D3	613	ily a	110		Velocity	1.55	NA	1.4	metres per second	U	no							
	Second silo ventilation event																			
	No discharge occurred						Concentration	NA		-	grams per second									
							Velocity		NA	-	metres per second									
	Single silo ventilation event			1				•	•			ı								
	Phosphine	B14	1200	n/a	no	D. Names	Concentration	NA	0.04	0.424	grams per second	8	no							
22/04/2021	riospinie	514	1200 11/ a	1200 n/a	11/ 0	11/ a	ii/ a	ii) a	n/a	110	110	R. Newton	R. Newton	Velocity	0.66	NA	0.5	metres per second	8	no
22/04/2021	Second silo ventilation event																			
						Concentration	NA		-	grams per second										
	No discharge occurred						Velocity		NA	-	metres per second									

Methyl bromide max concentration = 8g/sec, min velocity = 1.4m/sec

Phosphine max concentration = 0.0424g/sec; min velocity = 0.5m/sec

[^] Initial Purge times that coincide are shaded in purple.

^{*}The Initial Purge phase is the time between the start of vent and until emission rate from the grain silo is either 1 gram per second of Methyl Bromide or 0.01 grams per second of Phosphine. Only one grain silo can be in the initial purge phase at any one time. The maximum number of grain silos venting at any one time must not exceed two.

C. GrainCorp - Port Kembla water monitoring data summary: April 2021

The concentration of each pollutant specified below has been determined using the required sampling method, units of measure and sample frequency specified in the EPL. Water parameters and water samples are collected by suitably qualified staff and, where required, water samples are analysed at a NATA accredited laboratory.

Monitoring frequency: Single sample each day during any discharge (i.e. daily)

Number of water release events during month: 2

Monitoring Point Location: Point 1

		Result			Limit		
Number of times measured/sampled during month	Pollutant (discharge to water)	Min. value	Max. value	Visible or not visible?	100 percentile (allowable)	Units of measure	Exceedance (yes/no)
	Oil and Grease	NA	NA	Not visible	Not visible	Visible	no
2	рH	7.34	7.52	NA	6.5-8.5	рН	no
2	Total suspended solids	6	14		50	mg/L	no
	Turbidity	1	8.9		40	NTU	no

Sampling Event details					
Sampling date	Sampler	Lab report date	Lab report ID		
7/04/2021	D. Jackson	13/04/2021	EW2101518-002		
19/04/2021	L. Veljanovski	17/05/2021	EW2102064-001		

Unit of Measure Abbreviation	Unit of Measure
mg/L	milligrams per litre
pН	pH