

October 2022 - PKGT Monitoring Summary Report

The following Port Kembla Grain Terminal (PKGT) monthly monitoring summary report has been prepared by GrainCorp in accordance with Section 66 of the *Pollution of the Environment Operations Act 1997*. Monitoring data shared with the public on the website includes that collected as part of the Environmental Protection Licence (EPL) for the Port Kembla Grain Terminal Site. Monthly monitoring summaries are completed on the last day of any given month for the data collected.

	, ,	,	, 0
Report contents			
Section A. Map of PKGT and the location of sampling points as per the Environmental Protection Licence			
Section B. PKGT fumigation emissions monitoring (Sampling Points 3,4,5,6,7 and 8)		✓ Yes see Section B	☐ No has not been included in report
Section C. PKGT interceptor water monitoring (Sampling Point 1)	Monitoring triggered in this period and summarised in report?	✓ Yes see Section C	No has not been included in report
Section D. PKGT diesel boiler monitoring (Sampling Point 2)		Yes see Section D	✓ No has not been included in report
Site details			
EPL Number 3693			
Licensee Name GrainCorp Operations Limited Address Port Kembla Grain Terminal, Morton Way, Port Kembla NSW 2505			
EPL Public Register Link http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=3693&id=3693&option=licence	e&searchrange=licence⦥=POEO licen	ce&prp=no&status=Issued	


Technical Reviewer

A. Costa	
Name	
18/11/2022	
Date	

Date published to website

18/11/2022	
Date	

A. Sampling points as per EPL - Port Kembla Grain Terminal



Environment Protection licence (EPL) Monitoring Locations

Point	Location at PKGT
1	Located at the Bulk Liquid Storage area of the Port Kembla Grain Terminal. The water sample is collected downstream the bund valve from the final section of the interceptor.
2	Diesel boiler air vent located within the bulk liquid storage area directly east of the bulk storage tank area bund.
3 and 4	Most southern fumigation vents located beside silos A1 and B1.
5 and 6	Fumigation vent located in the centre of the site beside silos A9 and B9.
7 and 8	The northern most fumigation vents located beside silos A10 and B10, just north of points 5 and 6.

#

B. GrainCorp - Port Kembla Fumigation monitoring data summary: October 2022

All air monitoring has been conducted in accordance with the methodology prescribed or a methodology approved in writing with NSW EPA.

Monitoring frequency: Continuous during every ventilation

No. of ventilation events during month: 5

					Exceedance			Res	sult	Limit			
Sampling date (ventilation event)	Pollutant (discharged to air)	Silo Vent No.	Initial Purge start time^	Initial Purge end time*	More than one silo vent in initial purge phase?* (yes/no)	Sampler (fumigator)	Parameter	Min. value	Max. value	100 percentile (allowable)	Units of measure	Monitoring point location	Exceedance (yes/no)
	Single silo ventilation event												
	Methyl Bromide	В4	15:15	n/a	no		Concentration	NA	5.88	8	grams per second	- 6	no
5/10/2022	·			.,,.			Velocity	1.57	NA	1.4	metres per second	Ū	no
	Second silo ventilation event			1							grams nor		
	No discharge occurred						Concentration	NA		-	grams per second metres per	-	
							Velocity		NA	-	second		
	Single silo ventilation event												
	-					No R. Newton	Concentration	NA	0.0355	0.0424	grams per second		no
15/10/2022	Phosphine	A8	10:26	n/a	No		Velocity	0.68	NA	0.5	metres per second	5	no
15/10/2022	Second silo ventilation event												
	No discharge occurred						Concentration	NA		-	grams per second		
	No discharge occurred						Velocity		NA	-	metres per second		
	Single silo ventilation event			I									1
	Phosphine	В3	11:56	n/a	No	R. Newton	Concentration	NA	0.036	0.0424	grams per second	6	no
19/10/2022							Velocity	0.68	NA	0.5	metres per second		no
	Second silo ventilation event										arams		
	No discharge occurred						Concentration	NA		-	grams per second	_	
							Velocity		NA	-	metres per second		
	Controller and the												
	Single silo ventilation event										grams no-		
	Methyl Bromide	А3	10:20	n/a	No	R. Newton	Concentration	NA	6.3671	8	grams per second	5	no
29/10/2022							Velocity	1.54	NA	1.4	metres per second		no
	Second silo ventilation event												
	No discharge occurred						Concentration	NA		-	grams per second		
	9						Velocity		NA	-	metres per second		

B. GrainCorp - Port Kembla Fumigation monitoring data summary: October 2022

All air monitoring has been conducted in accordance with the methodology prescribed or a methodology approved in writing with NSW EPA.

Monitoring frequency: Continuous during every ventilation

No. of ventilation events during month: 5

					Exceedance			Result		Limit			
Sampling date (ventilation event)	Pollutant (discharged to air)	Silo Vent No.	Initial Purge start time^		More than one silo vent in initial purge phase?* (yes/no)		Parameter	Min. value	Max. value	100 percentile (allowable)	Units of measure	Monitoring point location	Exceedance (yes/no)
	Single silo ventilation event												
Methyl Bromide	Mashad Danasida A7	A7	45.54	5:54 n/a	No	R. Newton	Concentration	NA	6.3842	8	grams per second	-	no
	Wethyl Blomide	A7 15.54	13.54				Velocity	1.56	NA	1.4	metres per second	3	no
31/10/2022	Second silo ventilation event												
	No discharge occurred					Concentration	NA		-	grams per second			
				Velocity		NA	-	metres per second	-				

Methyl bromide max concentration = 8g/sec, min velocity = 1.4m/sec

Phosphine max concentration = 0.0424g/sec; min velocity = 0.5m/sec

[^] Initial Purge times that coincide are shaded in purple.

^{*}The Initial Purge phase is the time between the start of vent and until emission rate from the grain silo is either 1 gram per second of Methyl Bromide or 0.01 grams per second of Phosphine. Only one grain silo can be in the initial purge phase at any one time. The maximum number of grain silos venting at any one time must not exceed two.

C. GrainCorp - Port Kembla water monitoring data summary: Ocotber 2022

The concentration of each pollutant specified below has been determined using the required sampling method, units of measure and sample frequency specified in the EPL. Water parameters and water samples are collected by suitably qualified staff and, where required, water samples are analysed at a NATA accredited laboratory.

Monitoring frequency: Single sample each day during any discharge (i.e. daily)

Number of water release events during month: 7

Monitoring Point Location: Point 1

			Result		Limit		
Number of times	5 H / P						
measured/sampled during		Min. value	Max. value	Visible or not visible?	100 percentile (allowable)	Units of measure	Exceedance (yes/no)
month	water)						
	Oil and Grease	NA	NA	Not visible	Not visible	Visible	no
7	pH	7.32	8.1		6.5-8.5	рН	no
,	Total suspended solids	<5	9	NA	50	mg/L	no
	Turbidity	1.81	4.11		40	NTU	no

Sampling Event details									
Sampling date	Sampler	Lab report date	Lab report ID						
5/10/2022	B Loke	13/10/2022	EW2204605						
6/10/2022	D Jackson	12/10/2022	EW2204609						
7/10/2022	D Jackson	17/10/2022	EW2204639						
9/10/2022	D Jackson	17/10/2022	EW2204640						
22/10/2022	B Loke	28/10/2022	EW2204870						
24/10/2022	B Loke	31/10/2022	EW2204872						
25/10/2022	B Loke	31/10/2022	EW2204915						

Unit of Measure Abbreviation	Unit of Measure
mg/L	milligrams per litre
рН	pH
Visible	Visible
NTU	nephelometric turbidity units