

Date published to website

18/07/2023

June 2023 - Carrington Grain Terminal Monitoring Summary Report

The following Newcastle Grain Terminal monthly monitoring summary report has been prepared by GrainCorp in accordance with Section 66 of the *Pollution of the Environment Operations Act 1997*. Monitoring data shared with the public on the website includes that collected as part of the Environmental Protection Licence (EPL) for the Newcastle Grain Terminal site. Monthly monitoring summaries are completed on the last day of any given month for the data collected.

	, , , , , , , , , , , , , , , , ,	,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Report contents	_			
Section A. Map of Newcast Licence	le Grain Terminal and the location of sampling points as per the Environmental Protection			
Section B. Newcastle Grain	Terminal fumigation emissions monitoring (Sampling Point 2)	Monitoring triggered in this period and summarised in report?	✓ Yes see Section B	No No has not been included in report
	, , , , , , , , , , , , , , , , , , ,			
Site details	_			
EPL Number	1296			
Licensee Name Address	GrainCorp Operations Limited Newcastle Grain Terminal			
EPL Public Register Link	https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=1296&id=1296&option=licen	ce&searchrange=licence⦥=POEO%20lice	ence&prp=no&status=Issued	
Technical Reviewer	_			
	A. Costa Name			
	18/07/2023			
	Date			

A. Sampling points as per EPL - Newcastle Grain Terminal



Environment Protection licence (EPL) Monitoring Locations

Point	Location at Newcastle Grain Terminal
2	Discharge from the vent stack fumigation chamber located at the northern-most grain silos

All air monitoring has been conducted in accordance with the methodology prescribed or a methodology approved in writing with NSW EPA.

Monitoring frequency: Continuous during every ventilation

No. of ventilation events during month: 7

Sampling date (start of ventilation event) and silo number	Pollutant (discharged to air)	Sampler (fumigator)	Result		Limit		Monitoring	
			Min. value	Max. value	100 percentile (allowable)	Units of measure	point location	Exceedance (yes/no)
02/06/2023 08:42 Silo	Scenario 1							
K5	Scenario 1	A.Donnelly						
κ3	Methyl bromide	G.Fryer	2	3.4	10	grams per cubic meter	Point 2	no
	Volumetric flow rate	-	0.415	0.42	0.494	meters cubed/ second	Point 2	no
	Scenario 2							
	Methyl bromide	-	-	-	19.4	grams per cubic meter	Point 2	-
	Volumetric flow rate	-	-	-	0.17	meters cubed/ second	Point 2	-
02/06/2023 1032 Silo	Scenario 1							
кз	Methyl bromide	A.Donnelly G.Fryer	2	4.4	10	grams per cubic meter	Point 2	no
	Volumetric flow rate	-	0.426	0.433	0.494	meters cubed/ second	Point 2	no
	Scenario 2							
	Methyl bromide	-	-	-	19.4	grams per cubic meter	Point 2	-
	Volumetric flow rate	-	-	-	0.17	meters cubed/ second	Point 2	-

All air monitoring has been conducted in accordance with the methodology prescribed or a methodology approved in writing with NSW EPA.

Monitoring frequency: Continuous during every ventilation

No. of ventilation events during month: 7

Sampling date (start of ventilation event) and silo number	Pollutant (discharged to air)	Sampler (fumigator)	Ro	esult	Limit	Units of measure	Monitoring point location	Exceedance (yes/no)
			Min. value	Max. value	100 percentile (allowable)			
06/06/2023 1050 Silo	Scenario 1							
H7	Scendino 1	A.Donnelly						
n/	Methyl bromide	T.Brown	0.2	4.8	10	grams per cubic meter	Point 2	no
	Volumetric flow rate	-	0.355	0.366	0.494	meters cubed/ second	Point 2	no
	Scenario 2							
	Methyl bromide	-	-	-	19.4	grams per cubic meter	Point 2	-
	Volumetric flow rate	-	-	-	0.17	meters cubed/ second	Point 2	-
07/06/2023 12:00 Silo	Scenario 1							
K1	Methyl bromide	A.Donnelly T.Brown	1	2.2	10	grams per cubic meter	Point 2	no
	Volumetric flow rate	-	0.326	0.33	0.494	meters cubed/ second	Point 2	no
	volumetric now rate		0.320	0.55	0.434	meters casea, second	TOILE	110
	Scenario 2							
	Methyl bromide	A.Donnelly T.Brown	0	2.4	19.4	grams per cubic meter	Point 2	no
	Volumetric flow rate	-	-	0.17	0.17	meters cubed/ second	Point 2	no

All air monitoring has been conducted in accordance with the methodology prescribed or a methodology approved in writing with NSW EPA.

Monitoring frequency: Continuous during every ventilation

No. of ventilation events during month: 7

Sampling date (start of ventilation event) and silo number	Pollutant (discharged to air)	Sampler (fumigator)	Ro	esult	Limit	Units of measure	Monitoring	Exceedance (yes/no)
			Min. value	Max. value	100 percentile (allowable)		point location	
09/06/2023 0849 Silo	Scenario 1							
J4	Scenario 1	A.Donnelly			1			
J4	Methyl bromide	T.Brown	1	5.4	10	grams per cubic meter	Point 2	no
	Volumetric flow rate	-	0.119	0.133	0.494	meters cubed/ second	Point 2	no
	Scenario 2							
	Methyl bromide	-	-	-	19.4	grams per cubic meter	Point 2	-
	Volumetric flow rate	-	-	-	0.17	meters cubed/ second	Point 2	-
16/06/2023 0905 Silo	Scenario 1							
Н3	Methyl bromide	T.Milroy J.Neill	0.8	5.8	10	grams per cubic meter	Point 2	no
	Volumetric flow rate	-	0.369	0.374	0.494	meters cubed/ second	Point 2	no
	Scenario 2							
	Methyl bromide	-	-	-	19.4	grams per cubic meter	Point 2	-
	Volumetric flow rate	-	-	-	0.17	meters cubed/ second	Point 2	-

All air monitoring has been conducted in accordance with the methodology prescribed or a methodology approved in writing with NSW EPA.

Monitoring frequency: Continuous during every ventilation

No. of ventilation events during month: 7

Sampling date (start of ventilation event) and silo number	Pollutant (discharged to air)	Sampler (fumigator)	Result		Limit		Monitoring	
			Min. value	Max. value	100 percentile (allowable)	Units of measure	point location	Exceedance (yes/no)
30/06/2023 0915 Silo	Scenario 1							
 17								
	Methyl bromide	T.Brown J.Neill	0.8	5.2	10	grams per cubic meter	Point 2	no
	Volumetric flow rate	-	0.43	0.436	0.494	meters cubed/ second	Point 2	no
	Scenario 2				_			
	Methyl bromide	-	-	-	19.4	grams per cubic meter	Point 2	-
	Volumetric flow rate	-	_	-	0.17	meters cubed/ second	Point 2	-

MONITORING NOTES:

Scenario 1 is defined as having a fumigation concentration of 10 grams per cubic meter and a one hour initial ventilation period Scenario 2 is defined as having a fumigation concentration of 19.4 grams per cubic meter and a three hour initial ventilation period