

September 2023 - Carrington Grain Terminal Monitoring Summary Report

The following Newcastle Grain Terminal monthly monitoring summary report has been prepared by GrainCorp in accordance with Section 66 of the *Pollution of the Environment Operations Act 1997*. Monitoring data shared with the public on the website includes that collected as part of the Environmental Protection Licence (EPL) for the Newcastle Grain Terminal site. Monthly monitoring summaries are completed on the last day of any given month for the data collected.

Report contents			
Section A. Map of Newcastle Grain Terminal and the location of sampling points as per the Environmental Protection Licence			
Section B. Newcastle Grain Terminal fumigation emissions monitoring (Sampling Point 2)	Monitoring triggered in this period and summarised in report?	☑ Yes see Section B	☐ No has not been included in report

Site details

9/10/2023 Date

EPL Number	1296
Licensee Name	GrainCorp Operations Limited
Address	Newcastle Grain Terminal
EPL Public Register Link	https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=1296&id=1296&option=licence&searchrange=licence⦥=POEO%20licence&prp=no&status=Issued
Technical Reviewer	_
	I. McDanald
	L. McDonald Name
	Name
	4/10/2023
	Date
Date published to websit	e

A. Sampling points as per EPL - Newcastle Grain Terminal

219 DP 1195310

CONCRETE

Z DP 1195231

September 2023 - Carrington Grain Terminal Monitoring Summary Report

Environment Protection licence (EPL) Monitoring Locations

Point	Location at Newcastle Grain Terminal
2	
	Discharge from the vent stack fumigation chamber located at the northern-most grain silos

L. McDonald

DP 1195231

2 of 4

B. GrainCorp - Newcastle fumigant ventilation monitoring data summary: SEP 2023

All air monitoring has been conducted in accordance with the methodology prescribed or a methodology approved in writing with NSW EPA.

Monitoring frequency: Continuous during every ventilation

No. of ventilation events during month: 2

Start of ventilation event) and silo number Pollutant (discharged to air) Sampler (fumigator) Min. value Max. value 100 percentile (allowable) Units of measure point location	ing date	•	-	Result		Limit		Monitoring			
Methyl bromide	ventilation			Min. value	Max. value	•	Units of measure	point	Exceedance (yes/no)		
Methyl bromide											
Methyl bromide	3 11:20 Silo Scen	enario 1	T	1	1	1		1			
Scenario 2		Methyl bromide	_	4.6	8	10	grams per cubic meter	Point 2	no		
Methyl bromide		Volumetric flow rate	-	0.414	0.45	0.494	meters cubed/ second	Point 2	no		
Volumetric flow rate	Scen	enario 2									
		Methyl bromide	-	-	-	19.4	grams per cubic meter	Point 2	-		
Methyl bromide		Volumetric flow rate	-	-	-	0.17	meters cubed/ second	Point 2	-		
Methyl bromide											
Methyl bromide T.Milroy 6 8.2 10 grams per cubic meter Point 2 Volumetric flow rate - 0.079 0.085 0.494 meters cubed/ second Point 2 Scenario 2 Methyl bromide - - - 19.4 grams per cubic meter Point 2 Volumetric flow rate - - - 0.17 meters cubed/ second Point 2 Phosphine N/A 73 parts per million Point 2 Phosphine N/A 73 parts per million Point 2	3 08:57 Silo <i>Scen</i>	enario 1	•				_	_			
Volumetric flow rate - 0.079 0.085 0.494 meters cubed/ second Point 2 Scenario 2 Methyl bromide - - - 19.4 grams per cubic meter Point 2 Volumetric flow rate - - - 0.17 meters cubed/ second Point 2 Phosphine N/A 73 parts per million Point 2 Phosphine N/A 73 parts per million Point 2 Phosphine N/A 73 parts per million Point 2			•								
Scenario 2			T.Milroy	_		-			no		
Methyl bromide - - 19.4 grams per cubic meter Point 2 Volumetric flow rate - - - 0.17 meters cubed/ second Point 2 Phosphine N/A 73 parts per million Point 2 Phosphine N/A 73 parts per million Point 2 Phosphine N/A 73 parts per million Point 2		Volumetric flow rate	-	0.079	0.085	0.494	meters cubed/ second	Point 2	no		
Volumetric flow rate - - 0.17 meters cubed/ second Point 2 Phosphine N/A 73 parts per million Point 2 Phosphine N/A 73 parts per million Point 2 Phosphine N/A 73 parts per million Point 2	Scen	Scenario 2									
Phosphine N/A 73 parts per million Point 2 Phosphine N/A 73 parts per million Point 2 Phosphine N/A 73 parts per million Point 2		Methyl bromide	-	-	-	19.4	grams per cubic meter	Point 2	-		
Phosphine N/A 73 parts per million Point 2 Phosphine N/A 73 parts per million Point 2		Volumetric flow rate	-	-	-	0.17	meters cubed/ second	Point 2	-		
Phosphine N/A 73 parts per million Point 2 Phosphine N/A 73 parts per million Point 2		Phosphine		N/A		73	parts per million	Point 2			
Phosphine N/A 73 parts per million Point 2				,			11 1				
		Phosphine		N/A		73	parts per million	Point 2			
		Phosphine		N/A		73	parts per million	Point 2			
		т поэринс		14//		,,,	Ipar to per minion	1 OIIIC Z			
Phosphine N/A 73 parts per million Point 2		Phosphine		N/A		73	parts per million	Point 2			
Phosphine N/A 73 parts per million Point 2		Phosphine		N/A		73	narts per million	Point 2			

B. GrainCorp - Newcastle fumigant ventilation monitoring data summary: SEP 2023

All air monitoring has been conducted in accordance with the methodology prescribed or a methodology approved in writing with NSW EPA.

Monitoring frequency: Continuous during every ventilation

No. of ventilation events during month: 2

Sampling date		Result		Limit		Monitoring		
(start of ventilation event) and silo numbe	ventilation Pollutant (discharged to air)	Sampler (fumigator)	Min. value	Max. value	100 percentile (allowable)	Units of measure	Monitoring point location	Exceedance (yes/no)

MONITORING NOTES:

Scenario 1 is defined as having a fumigation concentration of 10 grams per cubic meter and a one hour initial ventilation period Scenario 2 is defined as having a fumigation concentration of 19.4 grams per cubic meter and a three hour initial ventilation period