

### **May 2024 PKGT Monitoring Summary Report**

The following Port Kembla Grain Terminal (PKGT) monthly monitoring summary report has been prepared by GrainCorp in accordance with Section 66 of the *Pollution of the Environment Operations Act 1997*. Monitoring data shared with the public on the website includes that collected as part of the Environmental Protection Licence (EPL) for the Port Kembla Grain Terminal Site. Monthly monitoring summaries are completed on the last day of any given month for the data collected.

Report contents			
Section A. Map of PKGT and the location of sampling points as per the Environmental Protection Licence			
Section B. PKGT fumigation emissions monitoring (Sampling Points 3,4,5,6,7 and 8)		✓ Yes see Section B	☐ No has not been included in report
Section C. PKGT interceptor water monitoring (Sampling Point 1)	Monitoring triggered in this period and summarised in report?	✓ Yes see Section C	☐ No has not been included in report
Section D. PKGT diesel boiler monitoring (Sampling Point 2)		Yes see Section D	✓ No has not been included in report
Site details			
EPL Number 3693			
Licensee Name  Address  Port Kembla Grain Terminal, Morton Way, Port Kembla NSW 2505  EPL Public Register Link  http://www.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=3693&id=3693&option=licence	ce&searchrange=licence⦥=POEO licenc	e&prp=no&status=Issued	


#### **Technical Reviewer**

M. Anderton	
Name	
18/06/2024	
Date	

#### Date published to website

18/06/2024 Date

### A. Sampling points as per EPL - Port Kembla Grain Terminal



### **Environment Protection licence (EPL) Monitoring Locations**

Point	Location at PKGT
1	Located at the Bulk Liquid Storage area of the Port Kembla Grain Terminal. The water sample is collected downstream the bund valve from the final section of the interceptor.
2	Diesel boiler air vent located within the bulk liquid storage area directly east of the bulk storage tank area bund.
3 and 4	Most southern fumigation vents located beside silos A1 and B1.
5 and 6	Fumigation vent located in the centre of the site beside silos A9 and B9.
7 and 8	The northern most fumigation vents located beside silos A10 and B10, just north of points 5 and 6.

#

### B. GrainCorp - Port Kembla Fumigation monitoring data summary: May 2024

All air monitoring has been conducted in accordance with the methodology prescribed or a methodology approved in writing with NSW EPA.

Monitoring frequency: Continuous during every ventilation

No. of ventilation events during month:

					Exceedance			Re	sult	Limit			
Sampling date (ventilation event)	Pollutant (discharged to air)	Silo Vent No.	Initial Purge start time^		More than one silo vent in initial purge phase?* (yes/no)	Sampler (fumigator)	Parameter	Min. value	Max. value	100 percentile (allowable)	Units of measure	Monitoring point location	Exceedance (yes/no)
		•									•		
	Single silo ventilation event										1		
	No discharge occurred			n/a	no		Concentration	NA		-	grams per second metres per		
							Velocity		NA	-	second		
	Second silo ventilation event			1					1		ı	ı	
	No discharge occurred						Concentration	NA		-	grams per second metres per	-	
							Velocity		NA	-	second		
	Single silo ventilation event												
				,			Concentration	NA		-	grams per second		
	No discharge occurred			n/a	No		Velocity		NA	-	metres per second		
	Second silo ventilation event												
	No discharge occurred						Concentration	NA		-	grams per second		
	No discharge occurred						Velocity		NA	-	metres per second		
	Single silo ventilation event												
	No discharge occurred			n/a	no		Concentration	NA		-	grams per second		
				·			Velocity		NA	-	metres per second		
	Second silo ventilation event										grams per		
	No discharge occurred						Concentration	NA		-	second metres per	-	
							Velocity		NA	-	second		
	Single silo ventilation event												
				,			Concentration	NA		-	grams per second		
	No discharge occurred		n/a	no		Velocity		NA	-	metres per second			
	Second silo ventilation event												
	No discharge occurred						Concentration	NA		-	grams per second		
							Velocity		NA	-	metres per second		
	la e e e e e												
	Single silo ventilation event												

#### B. GrainCorp - Port Kembla Fumigation monitoring data summary: May 2024

All air monitoring has been conducted in accordance with the methodology prescribed or a methodology approved in writing with NSW EPA.

Monitoring frequency: Continuous during every ventilation

No. of ventilation events during month:

					Exceedance			Por	sult	Limit			
Sampling date (ventilation event)	Pollutant (discharged to air)	Silo Vent No.	Initial Purge start time^	Initial Purge end time*	More than one silo vent in initial purge phase?* (yes/no)		Parameter		Max. value	100 percentile (allowable)	Units of measure	Monitoring point location	Exceedance (yes/no)
	No discharge occurred			n/a	no		Concentration	NA		-	grams per second		
				n/a	no	110	Velocity		NA	-	metres per second		
	Second silo ventilation event												
	No discharge convert						Concentration	NA		-	grams per second		
No discharge occurred						Velocity		NA	-	metres per second			
	Single silo ventilation event												
	No discharge occurred			n/a	no		Concentration	NA	0	-	grams per second		
	_			11/4	110		Velocity		NA	-	metres per second		
	Second silo ventilation event												
No discharge occurred						Concentration	NA		-	grams per second			
						Velocity		NA	-	metres per second			

# **GrainCorp - Port Kembla water monitoring data summary: May 2024**

The concentration of each pollutant specified below has been determined using the required sampling method, units of measure and sample frequency specified in the EPL. Water parameters and water samples are collected by suitably qualified staff and, where required, water samples are analysed at a NATA accredited laboratory.

Monitoring frequency: Single sample each day during any discharge (i.e. daily)

Number of water release events during month:

Monitoring Point Location: Point 1

		Result			Limit		
Number of times measured/sampled during	Pollutant (discharge to	Min. value	Max. value	Visible or not visible?	100 percentile (allowable)	Units of measure	Exceedance (yes/no)
month	water)						
	Oil and Grease	NA	NA	Not Visible	Not visible	Visible	no
E	рН	6.72	7.1		6.5-8.5	R.Newton	no
5	Total suspended solids	<5	<5	NA	50	mg/L	no
	Turbidity	0	3.8		40	NTU	no

Sampling Event details						
Sampling date	Sampler	Lab report date	Lab report ID			
4/05/2024	D Jackson	14/05/2024	EW2402113			
6/05/2024	D Jackson	14/05/2024	EW2402115			
9/05/2024	D Jackson	17/05/2024	EW2402207			
11/05/2024	C Shoard	20/05/2024	EW2402235			
13/05/2024	B Lowe	21/05/2024	EW2402287			

Unit of Measure Abbreviation	Unit of Measure
mg/L	milligrams per litre
рН	pH
R.Newton	Visible
mg/L	nephelometric turbidity units

# D. GrainCorp - Port Kembla boiler air monitoring summary: January 1900

The concentration of each pollutant specified below has been determined using the required sampling method, units of measure and sample frequency specified in the EPL. Sampling is completed annually by an external NATA accredited specialist and standardised where required.

EPL period monitored/number of samples required by EPL: On commission and annually thereafter within anniversary period of licence. One sample is collected during monitoring.

Monitoring Point Location: Point 2
Sampling date: 9/07/2021

		Result		Limit		
Pollutant (discharge to air)	Min. Value	Mean	Max. Value	100 Percentile (allowable) (mg/m³)	Unit of Measure	Exceedance (yes/no)
Carbon monoxide	180	17	230	125	mg/m <sup>3</sup>	No
Moisture	5.8	5.8	5.8		%	NA
Nitrogen Oxides	180	210	230	250	mg/m <sup>3</sup>	No
Oxygen (O <sub>2</sub> )	8.3	9	9.9		%	NA
Solid Particles	<2	<2	<2	50	mg/m <sup>3</sup>	No
Sulphur dioxide	0.058	0.058	0.058	1.5	mg/m <sup>3</sup>	No
Temperature	224	224	224		°C	NA
Velocity	6.5	6.5	6.5		m/s	NA
Volumetric flowrate	0.1	0.1	0.1		m³/s	NA

Unit of Measure Abbreviation	Unit of Measure
°C	degrees Celsius
μg/m <sup>3</sup>	micrograms per cubic metre
m/s	metres per second
mg/m <sup>3</sup>	milligrams per cubic metre
%	percent