


March 2025 PKGT Monitoring Summary Report

B. GrainCorp - Port Kembla Fumigation monitoring data summary: March 2025

The following Port Kembla Grain Terminal (PKGT) monthly monitoring summary report has been prepared by GrainCorp in accordance with Section 66 of the *Pollution of the Environment Operations Act 1997*. Monitoring data shared with the public on the website includes that collected as part of the Environmental Protection Licence (EPL) for the Port Kembla Grain Terminal Site. Monthly monitoring summaries are completed on the last day of any given month for the data collected.

Report contents	_				
Section A. Map of PKGT and the location of sampling points as per the Environmental Protection Section B. PKGT fumigation emissions monitoring (Sampling Points 3,4,5,6,7 and 8) Section C. PKGT interceptor water monitoring (Sampling Point 1)	n Licence		Monitoring triggered in this period and summarised in report?	✓ Yes see Section B ✓ Yes see Section C ✓ Yes	│ No has not been included in report │ No has not been included in report ✓ No
Section D. PKGT diesel boiler monitoring (Sampling Point 2)				see Section D	has not been included in report
Site details EPL Number Licensee Name Address EPL Public Register Link	3693 GrainCorp Operations Limited Port Kembla Grain Terminal, Morton W http://www.epa.nsw.gov.au/prpoeoap	Vay, Port Kembla NSW 2505 pp/Detail.aspx?instid=3693&id=3693&option=licen	ce&searchrange=licence⦥=POEO licer	nce&prp=no&status=Issued	
Technical Reviewer	M. Anderton Name				
	4/04/2025 Date				
Date published to website	_				

4/04/2025



March 2025 PKGT Monitoring Summary Report

Environment Protection licence (EPL) Monitoring Locations

Point	Location at PKGT
1	Located at the Bulk Liquid Storage area of the Port Kembla Grain Terminal. The water sample is collected downstream the bund valve from the final section of the interceptor.
2	Diesel boiler air vent located within the bulk liquid storage area directly east of the bulk storage tank area bund.
3 and 4	Most southern fumigation vents located beside silos A1 and B1.
5 and 6	Fumigation vent located in the centre of the site beside silos A9 and B9.
7 and 8	The northern most fumigation vents located beside silos A10 and B10, just north of points 5 and 6.

All air monitoring has been conducted in accordance with the methodology prescribed or a methodology approved in writing with NSW EPA.

Monitoring frequency: Continuous during every ventilation

No. of ventilation events during month: 10

					Exceedance			Re	sult	Limit			
Sampling date (ventilation event)	Pollutant (discharged to air)	Silo Vent No.	Initial Purge start time^	Initial Purge end time*	More than one silo vent in initial purge phase?* (yes/no)	Sampler (fumigator)	Parameter	Min. value	Max. value	100 percentile (allowable)	Units of measure	Monitoring point location	Exceedance (yes/no)
	Single silo ventilation event												
	Phosphine	В4	12:18pm	n/a	no	R.Newton	Concentration	NA	0.0383	0.0424	grams per second	- 6	no
1/03/2025	·			,			Velocity	0.68	NA	0.5	metres per second	-	no
	Second silo ventilation event			I							arome nor		
	No discharge occurred						Concentration	NA		-	grams per second	_	
							Velocity		NA	-	metres per second		
	Single silo ventilation event												
						R.Newton	Concentration	NA	0.0344	0.0424	grams per second		no
	Phosphine	A12	2:49pm	n/a	no		Velocity	0.61	NA	0.5	metres per second	7	no
3/03/2025	Second silo ventilation event												
	No discharge occurred						Concentration	NA		-	grams per second	_	
	No discharge occurred						Velocity		NA	-	metres per second		
	Single silo ventilation event												
	Single sho ventuation event										grams per		
	Methyl Bromide	В5	5:05pm	n/a	no	R.Newton	Concentration	NA	4.6021	8	second metres per	6	no
5/03/2025							Velocity	1.56	NA	1.4	second		no
	Second silo ventilation event										grams nor		
	No discharge occurred						Concentration	NA		-	grams per second	-	
	0						Velocity		NA	-	metres per second		
	C:												
	Single silo ventilation event										grams per		
	Methyl Bromide	A13	3:27pm	n/a	no	R.Newton	Concentration	NA	5.9279	8	second metres per	7	no
6/03/2025							Velocity	1.52	NA	1.4	second		no
	Second silo ventilation event										grams per		
	No discharge occurred						Concentration	NA		-	second	_	
							Velocity		NA	-	metres per second		

All air monitoring has been conducted in accordance with the methodology prescribed or a methodology approved in writing with NSW EPA.

Monitoring frequency: Continuous during every ventilation

No. of ventilation events during month: 10

					Exceedance			Re	sult	Limit			_
Sampling date (ventilation event)	Pollutant (discharged to air)	Silo Vent No.	Initial Purge start time^		More than one silo vent in initial purge phase?* (yes/no)	Sampler (fumigator)	Parameter		Max. value	100 percentile (allowable)	Units of measure	Monitoring point location	Exceedance (yes/no)
	Single silo ventilation event	•											
	Methyl Bromide	А3	1:17pm	n/a	no	R.Newton	Concentration	NA	5.848	8	grams per second	5	no
8/03/2025	·	, A.J	2.27 p	, u		Killewton	Velocity	1.55	NA	1.4	metres per second	J	no
	Second silo ventilation event			ı									ı
	No discharge occurred						Concentration	NA		-	grams per second metres per	_	
							Velocity		NA	-	second		
	Single silo ventilation event												
		245	4.04				Concentration	NA	6.0651	8	grams per second	- 8	no
2 /22 /222	Methyl Bromide	B15 1:04pn	1:04pm	04pm n/a	no	R.Newton	Velocity	1.52	NA	1.4	metres per second		no
9/03/2025	Second silo ventilation event	•						•			•		
	No disabours assumed						Concentration	NA		-	grams per second	_	
	No discharge occurred						Velocity		NA	-	metres per second	-	
	J. Communication of the commun												
	Single silo ventilation event			ı				1			1		
	Phosphine	A4	10:20am	n/a	no	R.Newton	Concentration	NA	0.0361	0.0424	grams per second	- 5	no
15/03/2025				,			Velocity	0.68	NA	0.5	metres per second		no
15, 55, 1515	Second silo ventilation event			ı									ı
	No discharge occurred						Concentration	NA		-	grams per second	_	
	3						Velocity		NA	-	metres per second		
							-						
	Single silo ventilation event												
23/03/2025	Methyl Bromide	В3	2:15pm	n/a	no	R.Newton	Concentration	NA	6.6783	8	grams per second	6	no
	·			·			Velocity	1.56	NA	1.4	metres per second		no
20,00,2020	Second silo ventilation event												
	No discharge occurred						Concentration	NA		-	grams per second	_	
							Velocity		NA	-	metres per second		

All air monitoring has been conducted in accordance with the methodology prescribed or a methodology approved in writing with NSW EPA.

Monitoring frequency: Continuous during every ventilation

No. of ventilation events during month: 10

					Exceedance			Res	sult	Limit			
Sampling date (ventilation event)	Pollutant (discharged to air)		Initial Purge start time^		More than one silo vent in initial purge phase?* (yes/no)	Parameter	Min. value	Max. value	100 percentile (allowable)	Units of measure	Monitoring point location	Exceedance (yes/no)	
	Single silo ventilation event												
	Methyl Bromide	B4	1:04nm	n/a	no	R.Newton	Concentration	NA	6.1998	8	grams per second	6	no
26/03/2025	Methyl Bronnide	nide B4 1:04pm n/a no	110	no R.Newton	Velocity	1.56	NA	1.4	metres per second	6	no		
20,03/2023	Second silo ventilation event												
	No discharge occurred						Concentration	NA		-	grams per second		
	No discharge occurred						Velocity		NA	-	metres per second] -	
				•				•			•		
	Single silo ventilation event												
	Methyl Bromide B15 11:4	D1E		n/a			Concentration	NA	7.0745	8	grams per second	. 8	no
31/03/2025		11.44a111	liya	no	R.Newton	Velocity	1.55	NA	1.4	metres per second	°	no	
31/03/2023	Second silo ventilation event												
	No disebasses assumed						Concentration	NA		-	grams per second		
	No discharge occurred						Velocity		NA	-	metres per second	-	

The concentration of each pollutant specified below has been determined using the required sampling method, units of measure and sample frequency specified in the EPL. Water parameters and water samples are collected by suitably qualified staff and, where required, water samples are analysed at a NATA accredited laboratory.

Monitoring frequency: Single sample each day during any discharge (i.e. daily)

Number of water release events during month:

ise events during month.

Monitoring Point Location: Point 1

			Result		Limit		
Number of times							
measured/sampled during	Pollutant (discharge to	Min. value	Max. value	Visible or not visible?	100 percentile (allowable)	Units of measure	Exceedance (yes/no)
month	water)						
	Oil and Grease	NA	NA	Not Visible	Not visible	Visible	no
6	рН	6.64	7.04		6.5-8.5	R.Newton	no
б	Total suspended solids	<5	18	NA	50	mg/L	no
	Turbidity	1.5	3.3		40	NTU	no

Sampling Event details								
Sampling date	Sampler	Lab report date	Lab report ID					
7/03/2025	C. Shoard	18/03/2025	EW2501365					
11/03/2025	B.Lowe	19/03/2025	EW2501367					
20/03/2025	G. Lanyon	31/03/2025	EW2501547					
26/03/2025	B.Lowe	27/03/2025	EW2501633					
30/03/2025	D. Jackson	8/04/2025	EW2501758					
31/03/2025	B.Lowe	8/04/2025	EW2501759					

Unit of Measure Abbreviation	Unit of Measure
mg/L	milligrams per litre
pН	pH
R.Newton	Visible
mg/L	nephelometric turbidity units